

Turbidity Meter 132H



Features:

- 7 inch high-resolution touch screen with friendly GUI.
- The unique high-precision filter system makes the instrument more stable and accurate.
- No blank calibration, automatic measurement, direct reading of concentration.
- With built-in standard curve. Users can setup curves according to different measurement requirements.
- Support zero point and up to 9-point calibration. Support calibration restoring function to restore factory calibration data.
- With large-capacity storage function, can store 5000 sets of test data.
- Built-in thermal printer can print current data and stored data.

Specifications:

Measurement Method	90° scattering method
Applications	Drinking water, surface water, sewage
Measuring range	0-1000 NTU
Colorimetric method	Tube colorimetric
Accuracy	≤5%
Resolution	0.01
Detector	Imported Silicon photodiode
Stray Light	< 0.02 NTU
Display	7-inch high-resolution 1024 * 600 touch screen
Output	USB (for data transfer)
Light Source	LED
Ambient Temperature	(5-50) °C
Ambient Humidity	Relative humidity ≤ 85% (No condensation)
Power	220V-AC
Dimensions/N.W.	460×380×200 mm/8kg
Standard Accessories	Sample bottle x 2 pcs, Power cord, Manual

SYSTRONICS (INDIA) LIMITED (SYSTRONICS DIVISION)

Works :89-92,Industrial Area, Naroda,Ahmadabad - 382 330. Gujarat,INDIA.

Phones :(079) 22813017,22813117,Fax :(079) 22821592,

Regd. Office :B/116-129,Supath-11 Complex,

Near Juna Wadaj Bus Terminus,Ashram Road,Ahmedabad-380 013.

Ph.:079-27557072,27556077,Fax :079-27552902

Email: bmkol@systronicsindia.com

Website : www.systronicsindia.com

MANUFACTURERS OF ELECTRONIC INSTRUMENTS AND SCIENTIFIC EQUIPMENTS.

BRANCH ADDRESS :

BRANCHES AT : BENGALURU, BHOPAL, BHUBANESHWAR ,
CHANDIGARH, CHENNAI,GUWAHATI,HYDERABAD,JAIPUR,
KOLKATA, LUCKNOW, MUMBAI, NEW DELHI, PATNA &
THIRUVANANTHAPURAM.